




THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS, REWINDERS, UNWINDERS & COUNTING SOLUTIONS



HEAVY DUTY REWINDER CAT-40G


[labelmate.com](https://www.labelmate.com)

Label Rewinders

HEAVY-DUTY REWINDER CAT-40G

The CAT-40G is gear motor driven for more torque. It accepts bigger rolls with a diameter up to 400mm. The CAT-40G handles labels up to 170, 220 or 270mm wide. This model is equipped with durable "Quick-Chuck" quick-locking Core Chuck, permitting the fastest loading and unloading of cores and label rolls.

- ✓ Small footprint to fit on any desk
- ✓ Easy setup: attach the labels to the take-up core and ready to start
- ✓ Bi-Directional for internal & external winding
- ✓ Large capacity for roll diameters up to 400mm



FEATURES

- Heavy Duty rewriter with powerfull Gear-motor for high torque.
- Max. Speed: 38 CM/SEC at the beginning of a 76 mm core roll
- Settings for Torque/speed and direction via the Control Panel. Dual torque ranges provide plenty of power for use with a LABELMATE Slitter, too.

GENERAL

- Power Supply 100-240VAC - 50HZ Output 15VDC - 4,33.A
- Limited Warranty of 5 Years, 1 Year on the Power Supply

CAT-40

P/N	MODEL	DESCRIPTION	MAX LABEL WIDTH	MAX ROLL DIAM	MAX
LMR009	CAT-40G	Easy-Loading Quick-Chuck for 76mm cores (38/40/44/70/100mm available) Size W x D x H:400 x 450 x 460 mm	170 mm (optional 220 & 270)	400 mm	14 KG

OPTIONS

P/N	MODEL	DESCRIPTION
LMX444	APG-CAT	Adjustable Paper Guide, Guides the outer edge of the label web to ensure an even roll edge.
LMX579	UNIVERSAL- ALIGNMENT PLATE for any desktop Thermal Transfer printer	
LMX472	FOOT SWITCH	To start and stop the unit


QUICK-CHUCKS

P/N	MODEL	DIAMETER (mm)	WIDTH (mm)
LMX479	C-38170	38	170
LMX480	C-40170	40	170
LMX481	C-44170	44	170
LMX482	C-70170	70	170
LMX483	C-76170	76	170
LMX484	C-76220	76	220
LMX485	C-76270	76	270
LMX486	C-100170	100	170
LMX506	220mm outer Flange for "Quick-Chuck" 76mm core diameter.		
LMX144	220mm inner Flange for "Quick-Chuck" 70, 76 & 100mm core diameter.		
LMX507	220mm inner Flange for "Quick-Chuck" 38, 40 & 44mm core diameter.		
LMX508	300mm outer Flange for "Quick-Chuck" 76mm core diameter.		
LMX509	300mm inner Flange for "Quick-Chuck" 70, 76 & 100mm core diameter.		
LMX510	300mm inner Flange for "Quick-Chuck" 38, 40 & 44mm core diameter.		
LMX511	400mm outer Flange for "Quick-Chuck" 76mm core diameter.		
LMX512	400mm inner Flange "Quick-Chuck" 76mm core diameter.		
LMX513	400mm inner Flange for "Quick-Chuck" 38, 40 & 44mm core diameter.		

When you need a CAT-40G with a quick-chuck other than 76mm, you can refer to the P/N above. Example: CAT-40G with a 40mm diameter chuck becomes LMR009/LMX480.



Your local partner:



+32 2 375 69 60

brussels@labelmate.com

Bergensesteenweg 78
1651 Lot (Belgium)

www.labelmate.com